

## WELL MAINTAINED RO RO VESSEL FOR SALE



### Broker Info

Name: BrokerSHB  
First Name: BrokerSHB  
Website: <http://www.shipsbuy.com/>  
Phone: We Only Offer E-mail Support

### Listing details

Ref No: RF449483  
Title: WELL MAINTAINED RO RO VESSEL FOR SALE  
Price: 1.00  
Condition:

### Additional information

#### Description:

**'CIMBRIA SEAWAYS' EX 'AQUAE' RORO**

**- FLAG UK**

**- GT 12,189**

**- NT 3,656**

**- LOA 145M -**

**BEAM 20.40M – ACCOM FOR PAX 12 – DECKS 4 – TEU 445 – 2,026LM**

**ABOUT 6,897 TDW ON 6.62M DRAFT**

**Built: 1986 by Frederikshavn Vaerft, Denmark**

**Classification: DNV 1A1, General Cargo Carrier RO/RO CONTAINER E0**

**S.S. PASSED JUNE 2010 - D.D. DONE APRIL 2010**

#### Propelling machinery:

**M. E. 1 x MAK 6M 601 9000 BHP at 428 rpm through gear 407/115 Coupled to 1 x CP propeller**

**1 x bow thruster at 1350kW, 2 x stern thrusters at 660 kW each**

**Tank top, main deck, upper tween deck and weather deck**

**All vehicle decks free height from 4.40m to 4.50m**

#### Speed and consumption figures:

**Abt 16,4 knots at abt 24,8 MTS (IFO 180) per day, shaft generator disconnected.**

**MDO abt 2,2 MT per day, shaft generator connected.**

**Shaft generator: 2375kVA -440V- 3116A- 1800RPM- 60Hz.**

**Auxiliary machinery:**

**2 x MAK 6M 332 at 1632 BHP/900 rpm each coupled to a 1415 kVA generator**

**Stabilizers:**

**Simplex-Compact - Fin Stabilizers**

**Type SK40**

**Area of each fin, 8m<sup>2</sup>**

**Time for retraction and extension - 120s**

**Voltage:**

**3 x 440 Volts at 60 Hz**

**Shore connection capacity 160 Amp.**

**Hoistable ramp:**

**Maker: Mac Gregor Navire Newbuild Nr 417 Order Nr: 201 203 300**

**Type: Hoistable Ramp Wire / Hydraulic**

**Length : 44.0 Mtr**

**Width : 3,6 Mtr**

**Capacity: 2,8 Ton per lane meter , Tot 120 Tonnes**

**Stern ramp:**

**Maker: Mac Gregor Navire Newbuild Nr 417 Order Nr 201 203 300**

**Type: 2 pcs Stern Ramp / Door Water tight in closed position**

**Operation by Hydraulic Jigger winch Total length Incl Flap: Each Ramp**

**14.5 Mtr Length of Flap : Each Ramp 2.0 Mtr Breadth Of Drive Way:**

**Each Ramp 6.5 Mtr Total Breadth of Ramp: 7.1 MtrStb Ramp 7.3 Port**

**Side Ramp The Clear Opening for each ramp in the stern transom is:**

**H 4.9 Mtr X B 6.5 Mtr.**

**Design Load: Heavy Load Wagon total weight 100 Tonnes. One fork lift truck with an axle load of 35 tonnes on four wheels , wheel print**

**according DNV rules, tyre pressure 800 kN/m<sup>2</sup> One roll trailer 40 feet**

**- 40 tonnes with an axle load of 34 tonnes on 16 solid rubber tyres**

**The ramps are designed as water tight doors**

**ACCOMMODATION FOR 12 DRIVERS.**

**(DTLS WOG)**

**UNDERSTAND VESSEL IN VERY GOOD `condition` CONSIDERING HER AGE.**

**VESSEL PRESENTLY TRADING IN WESTERN MEDITERRANEAN BETWEEN**

**MARSEILLES AND TUNIS AND EASILY INSPECTABLE MARSEILLES.**

Posted:

13 years ago

