

REF 436, BLT: 1986, FLAG: BAHAMAS, LOA: 106 M,  
DWT: 5182 MT, CBFT: 191



### Broker Info

Name: IBRAHIM YIN  
First Name: IBRAHIM  
Website: <http://www.vanocean.com/cn/>  
Phone: +010 (516) XXX-XX  
Address: Room 2213 The Spaces  
International Center,  
No.8 Dong Da Qiao  
Road, Chaoyang  
District, Beijing, Chi

### Listing details

Title: REF 436, BLT: 1986, FLAG: BAHAMAS, LOA:  
106 M, DWT: 5182 MT, CBFT: 191  
Ref No: RF571994  
Price: 1,600,000.00  
Built: 1986  
DWT: 5,182  
LDT:  
Flag: BAHAMAS  
Model: REEFER  
Condition:  
Country:

### Additional information

Description:  
NAME REF 436  
TYPE REEFER  
FLAG BAHAMAS  
PORT OF REGISTRY NASSAU  
BUILT built\_in 1986-6  
BUILT PLACE KITANIHON ZOSEN, JAPAN  
CLASS BV  
LOA 106M  
LBP

BEAM 16.3M  
DEPTH 9.8M  
BOWTHRUSTER EQUIPPED  
DRAFT 7.16M(Tropical)  
7.01M(Summer)  
6.87M(Winter)  
GT 3757MT  
NT 1955MT(International), 3154.87MT(Panama)  
3204.54MT(Suez)  
DWAT 5182MT(Tropical)  
4988MT(Summer)  
4794MT(Winter)  
FLOOR SPACE AREA 2144SQM (DETAILS REFER TO ANNEX 1)  
GEAR DERRICK 6 X 5MT, 3\*3.5MT UP  
ALLOWABLE WEIGHT OF FORKLIFT MAXIMUM 5MT(FORKLIFT TO BE EQUIPPED WITH  
MINIMUM 4 AIRTYPES)  
ME MITSUBISHI 4448BHP  
AE/GENERATOR  
SPEED/CONSUMPTION 16KTS ON FULL CSS  
14KTS ON MINIMUM CSS  
15.7KTS ON FULL CSS OF BANANA LADEN  
14KTS ON MINIMUM CSS OF BANANA LADEN  
15KTS ON FULL CSS OF SUMMER DRAFT LADEN  
13.5KTS ON MINIMUM CSS OF SUMMER DRAFT LADEN  
(DETAILS REFER TO ANNEX 3)  
FUEL TYPE  
BUNKERS(IFO 380) 925CBM  
870MT  
BUNKERS(MDO) 132CBM  
105MT  
HOLD NUMBER 3  
HATCH NUMBER 3  
HATCH SIZE REFER TO ANNEX 2  
COMPARTMENT 8  
DECKS 3  
DECK AREA  
DECK HEIGHT 2.2M  
CAPACITY (CBFT) 191810 (DETAILS REFER TO ANNEX1)  
CAPACITY (CBM) 5432  
PALLET 1600  
TYPE OF THE VENT SYSTEM  
VENT VERT  
TEMPERATURE -25/+15DC  
INDEPENDENT COOLING SECTION 1A/B,2A/BC,3A/BC  
AIR CIRCULATIONS 90/HR

AIR RENEWALS 4/HR

USDA FTTTED

DELIVERY PLACE AND PRICE:

SINGAPORE: USD 1.6 MILLION

INDIAN OCEAN USD 1.4 MILLION

REMARK 1,+HULL,+MACH(MAIN CLASS SYMBOLS),

UNRESTRICTED NAVIGATION,

+REF-CARGO(ADDITIONAL CLASS NOTATIONS),

+MACH(MACHINERY)

ANNEX 1. COMPARTMENT CAPACITY BREAKDOWN

HOLD 1 HOLD 2 HOLD 3 TOTAL

Cbft Sqm Cbft Sqm Cbft Sqm Cbft Sqm

A 23,308 239.00 26,827 305.00 26,842 306.00 76,977 850.00

B 17,661 186.00 25,118 301.00 25,803 302.00 68,582 789.00

C 22,968 256.00 23,283 249.00 46,251 505.00

TOTAL 40,969 425.00 74,913 862.00 75,928 857.00 191,810 2,144.00

ANNEX 2. HATCH SIZES

HOLD 1 HOLD 2 HOLD 3

1\*b 1\*b 1\*b

WEATHERDECK 6.50\*5.00 6.50\*500 6.50\*5.00

A 6.50\*5.00 6.50\*5.00 6.50\*5.00

B 6.50\*5.00 6.50\*5.00

ANNEX 3. SPEED & CONSUMPTION

`condition` SPEED M/E A/E BOILER TOTAL BUNKER GRADE

BALLAST FULL CSS 16.00 12.50 0.00 0.00 12.50

1.20 IFO 380

MDO

BALLAST MINIMUM CSS 14.00 10.00 0.00 0.00

1.20 0.00 10.00

1.20 IFO 380

MDO

BANANA LADEN FULL CSS 15.70 13.00 2.00 0.00

1.00 0.00 15.00

1.00 IFO 380

MDO

BANANA LADEN MINIMUM CSS 14.00 10.50 2.00 0.00

1.00 0.00 12.50

1.00 IFO 380

MDO

SUMMERDRAFT LADEN(FROZEN COMMODITIES) FULL CSS 15.00 13.00 1.50 0.00

0.75 0.00 14.50

0.75 IFO 380

MDO

SUMMERDRAFT LADEN(FROZEN COMMODITIES) MINIMUM

CSS 13.50 10.50 1.50 0.00

0.75 0.00 12.00

0.75 IFO 380

MDO

PORT 0.0 1.30 0.00

0.80 0.00 1.30

0.80 IFO 380

MDO

FULL CSS= FULL CONTINUOUS SERVICE SPEED

MINIMUM CSS= MINIMUM CONTINUOUS SERVICE SPEED

ANNEX 4. COMMUNICATION DETAILS

COMMUNICATION TYPE SYSTEM

TELEX

TELEX

FAX

E-MAIL

PHONE

MOBILE PHONE

CALL SIGN SATCOM-C

SATCOM-C

MINI-M

MINI-M

Posted:

14 years ago

