

WELL MAINTAINED RO RO VESSEL FOR SALE



Satıcı Firma Bilgisi

İsim: BrokerSHB
İsim: BrokerSHB
Adres: Contact Us for Vessels

İlan Detayları

Hakkında: WELL MAINTAINED RO RO VESSEL FOR SALE
Reference Number: RF449483
Fiyat: 1.00
Condition:

Ek Bilgiler

İlan Detayları:

'CIMBRIA SEAWAYS' EX 'AQUAE' RORO

- FLAG UK

- GT 12,189

- NT 3,656

- LOA 145M -

BEAM 20.40M – ACCOM FOR PAX 12 – DECKS 4 – TEU 445 – 2,026LM

ABOUT 6,897 TDW ON 6.62M DRAFT

Built: 1986 by Frederikshavn Vaerft, Denmark

Classification: DNV 1A1, General Cargo Carrier RO/RO CONTAINER E0

S.S. PASSED JUNE 2010 - D.D. DONE APRIL 2010

Propelling machinery:

M. E. 1 x MAK 6M 601 9000 BHP at 428 rpm through gear 407/115 Coupled to 1 x CP propeller

1 x bow thruster at 1350kW, 2 x stern thrusters at 660 kW each

Tank top, main deck, upper tween deck and weather deck

All vehicle decks free height from 4.40m to 4.50m

Speed and consumption figures:

Abt 16,4 knots at abt 24,8 MTS (IFO 180) per day, shaft generator disconnected.

MDO abt 2,2 MT per day, shaft generator connected.

Shaft generator: 2375kVA -440V- 3116A- 1800RPM- 60Hz.

Auxiliary machinery:

2 x MAK 6M 332 at 1632 BHP/900 rpm each coupled to a 1415 kVA generator

Stabilizers:

Simplex-Compact - Fin Stabilizers

Type SK40

Area of each fin, 8m²

Time for retraction and extension - 120s

Voltage:

3 x 440 Volts at 60 Hz

Shore connection capacity 160 Amp.

Hoistable ramp:

Maker: Mac Gregor Navire Newbuild Nr 417 Order Nr: 201 203 300

Type: Hoistable Ramp Wire / Hydraulic

Length : 44.0 Mtr

Width : 3,6 Mtr

Capacity: 2,8 Ton per lane meter , Tot 120 Tonnes

Stern ramp:

Maker: Mac Gregor Navire Newbuild Nr 417 Order Nr 201 203 300

Type: 2 pcs Stern Ramp / Door Water tight in closed position

Operation by Hydraulic Jigger winch Total length Incl Flap: Each Ramp

14.5 Mtr Length of Flap : Each Ramp 2.0 Mtr Breadth Of Drive Way:

Each Ramp 6.5 Mtr Total Breadth of Ramp: 7.1 MtrStb Ramp 7.3 Port

Side Ramp The Clear Opening for each ramp in the stern transom is:

H 4.9 Mtr X B 6.5 Mtr.

Design Load: Heavy Load Wagon total weight 100 Tonnes. One fork lift truck with an axle load of 35 tonnes on four wheels , wheel print

according DNV rules, tyre pressure 800 kN/m² One roll trailer 40 feet

- 40 tonnes with an axle load of 34 tonnes on 16 solid rubber tyres

The ramps are designed as water tight doors

ACCOMMODATION FOR 12 DRIVERS.

(DTLS WOG)

UNDERSTAND VESSEL IN VERY GOOD `condition` CONSIDERING HER AGE.

VESSEL PRESENTLY TRADING IN WESTERN MEDITERRANEAN BETWEEN

MARSEILLES AND TUNIS AND EASILY INSPECTABLE MARSEILLES.

Yayınlandı:

13 yıl önce

