

REF 436, BLT: 1986, FLAG: BAHAMAS, LOA: 106 M,
DWT: 5182 MT, CBFT: 191



Satıcı Firma Bilgisi

İsim: IBRAHİM YİN
İsim: IBRAHİM
Web sitesi: <http://www.vanocean.com/cn/>
Telefon: +010 (516) XXX-XX
Adres: Room 2213 The Spaces
International Center,
No.8 Dong Da Qiao
Road, Chaoyang
District, Beijing, Chi

İlan Detayları

Hakkında: REF 436, BLT: 1986, FLAG: BAHAMAS, LOA:
106 M, DWT: 5182 MT, CBFT: 191
Reference Number: RF571994
Fiyat: 1,600,000.00
Yıl: 1986
DWT: 5,182
LDT:
Flag: BAHAMAS
Model: REEFER
Condition:
Country:

Ek Bilgiler

İlan Detayları:
NAME REF 436
TYPE REEFER
FLAG BAHAMAS
PORT OF REGISTRY NASSAU
BUILT built_in 1986-6
BUILT PLACE KITANIHON ZOSEN, JAPAN
CLASS BV
LOA 106M
LBP

BEAM 16.3M
DEPTH 9.8M
BOWTHRUSTER EQUIPPED
DRAFT 7.16M(Tropical)
7.01M(Summer)
6.87M(Winter)
GT 3757MT
NT 1955MT(International), 3154.87MT(Panama)
3204.54MT(Suez)
DWAT 5182MT(Tropical)
4988MT(Summer)
4794MT(Winter)
FLOOR SPACE AREA 2144SQM (DETAILS REFER TO ANNEX 1)
GEAR DERRICK 6 X 5MT, 3*3.5MT UP
ALLOWABLE WEIGHT OF FORKLIFT MAXIMUM 5MT(FORKLIFT TO BE EQUIPPED WITH
MINIMUM 4 AIRTYPES)
ME MITSUBISHI 4448BHP
AE/GENERATOR
SPEED/CONSUMPTION 16KTS ON FULL CSS
14KTS ON MINIMUM CSS
15.7KTS ON FULL CSS OF BANANA LADEN
14KTS ON MINIMUM CSS OF BANANA LADEN
15KTS ON FULL CSS OF SUMMER DRAFT LADEN
13.5KTS ON MINIMUM CSS OF SUMMER DRAFT LADEN
(DETAILS REFER TO ANNEX 3)
FUEL TYPE
BUNKERS(IFO 380) 925CBM
870MT
BUNKERS(MDO) 132CBM
105MT
HOLD NUMBER 3
HATCH NUMBER 3
HATCH SIZE REFER TO ANNEX 2
COMPARTMENT 8
DECKS 3
DECK AREA
DECK HEIGHT 2.2M
CAPACITY (CBFT) 191810 (DETAILS REFER TO ANNEX1)
CAPACITY (CBM) 5432
PALLET 1600
TYPE OF THE VENT SYSTEM
VENT VERT
TEMPERATURE -25/+15DC
INDEPENDENT COOLING SECTION 1A/B,2A/BC,3A/BC
AIR CIRCULATIONS 90/HR

AIR RENEWALS 4/HR

USDA FTTTDD

DELIVERY PLACE AND PRICE:

SINGAPORE: USD 1.6 MILLION

INDIAN OCEAN USD 1.4 MILLION

REMARK 1,+HULL,+MACH(MAIN CLASS SYMBOLS),

UNRESTRICTED NAVIGATION,

+REF-CARGO(ADDITIONAL CLASS NOTATIONS),

+MACH(MACHINERY)

ANNEX 1. COMPARTMENT CAPACITY BREAKDOWN

HOLD 1 HOLD 2 HOLD 3 TOTAL

Cbft Sqm Cbft Sqm Cbft Sqm Cbft Sqm

A 23,308 239.00 26,827 305.00 26,842 306.00 76,977 850.00

B 17,661 186.00 25,118 301.00 25,803 302.00 68,582 789.00

C 22,968 256.00 23,283 249.00 46,251 505.00

TOTAL 40,969 425.00 74,913 862.00 75,928 857.00 191,810 2,144.00

ANNEX 2. HATCH SIZES

HOLD 1 HOLD 2 HOLD 3

1*b 1*b 1*b

WEATHERDECK 6.50*5.00 6.50*5.00 6.50*5.00

A 6.50*5.00 6.50*5.00 6.50*5.00

B 6.50*5.00 6.50*5.00

ANNEX 3. SPEED & CONSUMPTION

`condition` SPEED M/E A/E BOILER TOTAL BUNKER GRADE

BALLAST FULL CSS 16.00 12.50 0.00 0.00 12.50

1.20 IFO 380

MDO

BALLAST MINIMUM CSS 14.00 10.00 0.00 0.00

1.20 0.00 10.00

1.20 IFO 380

MDO

BANANA LADEN FULL CSS 15.70 13.00 2.00 0.00

1.00 0.00 15.00

1.00 IFO 380

MDO

BANANA LADEN MINIMUM CSS 14.00 10.50 2.00 0.00

1.00 0.00 12.50

1.00 IFO 380

MDO

SUMMERDRAFT LADEN(FROZEN COMMODITIES) FULL CSS 15.00 13.00 1.50 0.00

0.75 0.00 14.50

0.75 IFO 380

MDO

SUMMERDRAFT LADEN(FROZEN COMMODITIES) MINIMUM

CSS 13.50 10.50 1.50 0.00

0.75 0.00 12.00

0.75 IFO 380

MDO

PORT 0.0 1.30 0.00

0.80 0.00 1.30

0.80 IFO 380

MDO

FULL CSS= FULL CONTINUOUS SERVICE SPEED

MINIMUM CSS= MINIMUM CONTINUOUS SERVICE SPEED

ANNEX 4. COMMUNICATION DETAILS

COMMUNICATION TYPE SYSTEM

TELEX

TELEX

FAX

E-MAIL

PHONE

MOBILE PHONE

CALL SIGN SATCOM-C

SATCOM-C

MINI-M

MINI-M

Yayınlandı:

14 yıl önce

