

## REF472 KOCHI JYUKO CO., LTD, JAPAN 1990/12/10



## Satıcı Firma Bilgisi

İsim: IBRAHİM YİN  
İsim: IBRAHİM  
Web sitesi: <http://www.vanocean.com/cn/>  
Telefon: +010 (516) XXX-XX  
Adres: Room 2213 The Spaces International Center, No.8 Dong Da Qiao Road, Chaoyang District, Beijing, Chi

## İlan Detayları

Hakkında: REF472 KOCHI JYUKO CO., LTD, JAPAN  
1990/12/10  
Reference Number: RF925866  
Fiyat: 3,850,000.00  
Yıl: 1990  
DWT: 5,246  
Flag: PANAMA  
Model: REEFER  
Condition:

## Ek Bilgiler

İlan Detayları:  
NO. REF472  
TYPE REEFER  
FLAG PANAMA  
PORT OF REGISTRY  
BUILT built\_in 1990/12/10  
BUILT PLACE KOCHI JYUKO CO., LTD, JAPAN  
CLASS NK  
SS  
DD  
LOA 108.0 M  
LBP  
BEAM 16.30 M

DEPTH 9.70 M  
DRAFT 7.324 M  
GT INTERNATIONAL 3696 MT  
SUEZ 3999.39 MT  
PANAMA 4177.48 MT  
NT INTERNATIONAL 2160 MT  
SUEZ 3101.56 MT  
PANAMA 3153.73 MT  
DWT 5246 MT  
FLOOR SPACE CAPACITY  
GEAR Reefer-  
ME MITSUBISHI 7UEC37LA 7 CYL. 4900BHP  
AE/GENERATOR  
SPEED/CONSUMPTION

MDO CONSUMPTION BANANA LADEN + BALLAST: ABT 16KTS ON ABT 15.5MT IFO  
DEEP LADEN: ABT 15KTS ON ABT 15.5MT IFO  
REEFER ON: ABT 2.6MT  
REEFER OFF: ABT 1.6MT  
FUEL TYPE IFO180 CST RME-25  
MDO DISTILATE DMB  
TANK CAPACITY  
HOLD NUMBER 3  
HATCH NUMBER 3  
HATCH SIZE 6.5x5 M  
COMPARTMENT 8  
DECKS 3  
DECK AREA  
DECK HEIGHT 2.2 M  
CAPACITY (CBFT) 188000  
CAPACITY (CBM) 5324  
COOLING SYSTEM R22 DIRECT EXPANSION  
TYPE OF THE VENT SYSTEM VERT  
PRECOOLING PERIOD FROZEN 72 HOURS  
BANANA 45 HOURS  
VENT  
AIR CIRCULATION 90/H  
TEMPERATURE -30/+15°C  
COOLING SECTION 5 (1AB/2A/BC/3A/BC)  
PALLETS 1600  
INSPECTION PLACE CHINA  
DELIVERY PLACE CHINA  
PRICE USD 3.85 MILLION

REMARKS VESSEL IS TRADING IN WESTERN AFRICA;  
BUNKER GRADES TO BE IN ACCORDANCE ISO 8217/96;  
SPEEDS / CONSUMPTIONS BASIS SMOOTH SEAS UP TO BEAUFORT FORCE 3;  
GRATINGS STRENGTH (INCL F/LIFT WITH 4 PNEUMATIC TYRES AND CGO) – 5MT;  
2 AIR FENDERS ON BOARD;  
VESSEL IS DESIGNED FOR OPEN SEA TRANSSHIPMENTS;  
ETA CHINA END OF FEBRUARY.

Yayınlandı: 12 yıl önce

