

**REEFER/ JAPAN/7242 MT/ DERRICKS/373588 CBFT****Satıcı Firma Bilgisi**

İsim: IBRAHİM YİN  
İsim: IBRAHİM  
Web sitesi: <http://www.vanocean.com/cn/>  
Telefon: +010 (516) XXX-XX  
Adres: Room 2213 The Spaces  
International Center,  
No.8 Dong Da Qiao  
Road, Chaoyang  
District, Beijing, Chi

**İlan Detayları**

Hakkında: REEFER/ JAPAN/7242 MT/ DERRICKS/373588  
CBFT  
Reference Number: RF113791  
Fiyat: 1.00  
Yıl: 1990  
DWT: 7,242  
Flag: LIBERIA  
Model: REEFER  
Condition:

**Ek Bilgiler**

İlan Detayları:  
NO. REF349

TYPE REEFER

FLAG LIBERIA

PORT OF REGISTRY MONROVIA

BUILT built\_in 1990

BUILT PLACE SHIKOKU DOCK YARD, JAPAN

CLASS NK CHG MPP LSA RCF

SS SS DUE THIS SUMMER

DD

LOA 146.29 M

LBP

BEAM 18.50 M

DEPTH 10.65 M

DRAFT 7.466 M (SUMMER)

GT GRT: 7089 MT;

PGRT: 7745 MT;

SGRT: 7458.14 MT

NT NRT: 3601 MT;

PNRT: 5983 MT;

SNRT: 6223.13 MT

DWT 7242 MT

LIGHTSHIP WEIGHT 3971 MT

FLOOR SPACE CAPACITY

GEAR DERRICKS, 8x4.5MT(3.5U/P)

ME MITSUBISHI B&W 6L50MC, 8370 BHP/128 RPM-MCR (8300 PS/128RPM)

AE/GENERATOR YANMAR M22L –SN 900PS/720 RPM

PROPELLER PITCH 4725MM TAPE ICHINACHI SOLID, 5 BLADES

SPEED/CONSUMPTION 19 ON 26.2(380)+4.5(380)

FUEL TYPE

HOLD NUMBER 4

HATCH NUMBER 4

BANANA HATCH 4

HATCH SIZE

COMPARTMENT 13

DECKS 3

DECK AREA 3976 SQM

DECK HEIGHT

HEIGHT OF COAMING 1.52M

TYPE OF HATCHES MAIN DECK:HYDRAULIC OPERATED

TWEEN DECKS :WIRE OPERATED

CAPACITY (CBFT) 373588

CAPACITY (CBM) 10579

BUNKER CAPACITY(MAXIMUM) IFO380 CST: 971.2 MT;

MDO: 72.8 MT

RECOMMENDED 85% CAPACITY IFO 380 CST: 825.20 MT;

MDO: 61.80 MT

TYPE OF THE VENT SYSTEM

VENT VERT

TEMPERATURE -30/+15DC

AIR CHANGE 2/H

AIR CIRCULATION 30/90

COOLING SECTIONS 8

GRATING STRENGTH 1.7MT

DOORS SIDEDOORS 4P+S2

LASHINGS AIRBAGS/TWISTLOCKS/TURNUCKLES

BANANA 2966 PLTS;165800 CTNS

TANK CAPACITY

CONTAINER 12 TEU OR 6 FEU

REEFER PLUG 12

ICE CLASS NO

P&I NORTH OF ENGLAND

USDA CERTIFICATE EXPIRES APRIL 1, 2007

INSPECTION PLACE

DELIVERY PLACE BUSAN

PRICE BUYERS OFFER

Yayınlandı:

11 yıl önce

