

REF657/REEFER/1979-12/16905.4CBM/ USD 3.2 MILLION



Satıcı Firma Bilgisi

İsim: IBRAHİM YİN
İsim: IBRAHİM
Web sitesi: <http://www.vanocean.com/cn/>
Telefon: +010 (516) XXX-XX
Adres: Room 2213 The Spaces
International Center,
No.8 Dong Da Qiao
Road, Chaoyang
District, Beijing, Chi

İlan Detayları

Hakkında: REF657/REEFER/1979-12/16905.4CBM/ USD 3.2
MILLION
Reference Number: RF117248
Fiyat: 3,200,000.00
Yıl: 1979
DWT: 12,570
LDT: 6,971
Flag: ST.VINCENT AND THE GRENADINES
Model: REEFER
Condition:

Ek Bilgiler

İlan Detayları:
NAME REF657
TYPE REEFER
FLAG ST.VINCENT AND THE GRENADINES
PORT OF REGISTRY KINGSTOWN
BUILT built_in 1979-12
BUILT PLACE AALBORG, DENMARK
CLASS RMRS, ICE STR KM*L3 REF
(LU3 AT 6.15M<=D<=9.06M)
NAVIGATION AREA
SS 2015-10

DD 2015-10
LOA 144.35 M
LBP 135.01 M
BEAM 24.20 M
DEPTH 14.90 M
DRAFT 10.12 M
GT 11243.00 MT (INTERNATIONAL)
12177.63 MT (SUEZ)
12735.00 MT (PANAMA)
NT 6642.00 MT (INTERNATIONAL)
9242.11 MT (SUEZ)
9061.00 MT (PANAMA)
DWT 12570 MT
LDT 6971 MT
DISPLACEMENT
GEAR(S) CRANES 4 x 5 MT 8.5M OUTREACH HO1,2,3 HO4 AFT ACCOM ABT 6M
ME B&W 8L67GF, 15000 BHP, 119 RPM
AE/GENERATOR 3 x B&W 6S28LH 1060 KWT (1440 HP)
3 x 1250 KVA, 440V, 60 HZ
COOLING SYSTEM 4 x SABROE REFRIGERATING COMPRESSORS, R22
SPEED/CONSUMPTION LOAD: 16.5ON27(380)+7(380)
BAL: 17ON25(380)+3.5(380)
PORT EMPTY 2.5T LOAD 5.5T ORIGINALLY EXC 20KNOTS
FUEL TYPE IFO 380 CST
TANKS CAPACITY
HOLD NUMBER 4
HATCH NUMBER 4
HATCH SIZE
COMPARTMENT 18
DECKS 5
DECK AREA
DECK HEIGHT
CAPACITY (CBFT) 597010 INCLUDES COAMINGS
CAPACITY (CBM) 16905.4
FLOOR SPACE CAPACITY(SQM) 6808.16
GRATING SUITABLE FOR PNEUMATIC FORKLIFTS WITH ALL-UP WEIGHT OF 7 TONES
TEMPERATURE ZONE 8, 1AB/CD, 2AB/CDE, 3AB/CDE, 4AB/CD
TEMPERATURE -25/ +13 DC
VENT/TYPE OF THE VENT SYSTEM 80 /HR
AIR CHANGE 3-4 /HR
PALLETS 5100
CONTAINER CAPACITY 24 FEU ON DECK(30.5T)+12 TEU(17T)
REEFER PLUGS 36
INSURANCE P&I – INGOSSTRAKH, MOSCOW
H&M - RENAISSANCE INSURANCE GROUP LTD.

CREW

ACCOMMODATION

INSPECTION PLACE BUSAN

DELIVERY PLACE ZHOUSHAN, CHINA IN 05-25

PRICE USD 3.2 MILLION

REMARK DOORS: SIDE DOORS 4P+S

HATCH COVERS: STEEL & HYDRAULICALLY OPERATED, WEATHER TIGHT INSULATED

PROPELLER: RIGHT HAND SINGLE SCREW, 5 BLADES, SOLID, DIA 5.7 M, NI-AL BRONZE

ANCHORS: WEIGHT 2 x 5408 KGS + 1 SPARE 5430 KGS; CHAIN – 56 MM/GRADE U3(A)

WINDLESS: ELECTRO-HYDRAULIC 15 MT x 9 M/MIN

MOORING WINCHS: ELECTRO-HYDRAULIC 10 MT x 15 M/MIN

2 x OPEN LIFTBOATS, VIKING FOR 30 PERSONS

Yayınlandı:

11 yıl önce

