

REF742/REEFER/1988/5281.24CBM/BUYERS OFFER



Satıcı Firma Bilgisi

İsim: IBRAHİM YİN
İsim: IBRAHİM
Web sitesi: <http://www.vanocean.com/cn/>
Telefon: +010 (516) XXX-XX
Adres: Room 2213 The Spaces International Center, No.8 Dong Da Qiao Road, Chaoyang District, Beijing, Chi

İlan Detayları

Hakkında: REF742/REEFER/1988/5281.24CBM/BUYERS OFFER
Reference Number: RF503199
Fiyat: 1.00
Yıl: 1988
DWT: 4,218.03
Flag: PANAMA
Model: REEFER
Condition:

Ek Bilgiler

İlan Detayları:
VESSEL NAME REF742

TYPE REEFER CARRIER

DEEP FREEZING OR NOT YES

FLAG PANAMA

PORT OF REGISTRY PANAMA

BUILT built_in 1988

BUILT PLACE TERAOKA SHIPYARD CO., LTD. , JAPAN

CLASSIFICATION NK

CLASS NOTATION NS*, MNS*, RMC*

SS 2018-10-22

DD 2016-10-06

LOA (M) 100.80

LBP (M)

BEAM (M) 15.60

DEPTH (M) 9.50

SUMMER DRAFT (M) 6.20

WINTER DRAFT (M)

TROPICAL DRAFT (M)

GT (MT) 3475.00

PANAMA GT (MT)

SUEZ GT (MT)

NT (MT) 1720.00

PANAMA NT (MT)

SUEZ NT (MT)

SUMMER DWT (MT) 4218.03

WINTER DWT (MT)

TROPICAL DWT (MT)

LDT (MT)

DISPLACEMENT (MT)

GEAR(S) DERRICKS, UP 4 MT, WINCH 4 MT x 30/60 M/MIN, OUT REACH 4.5 M

M/E(S) "1 x AKASAKA 7UEC37LA, 2-CYCLE DIESEL ENGINE, 4900PS x 210RPM

TURBO-CHARGER MITSUBISHI MET-42SC"

M/E POWER (KW) 3603

A/E(S) "3 x DOOSAN AD222TIS, 720PS x 1800RPM, 625KVA

BOILER&EXH GAS ECONOMIZER: MIURA VWK-1620"

GENERATOR(S)

SHAFT GENERATOR(S)

PROPELLER(S)

COOLING SYSTEM (COMPRESSOR) "MYCOM SCREW TYPE REF. COMPRESSOR, 3550RPM

2 x F160LUD2-M 88.3R/T, 120KW x 2P x 138.3BKW

2 x F162C2-61A 20.OR/T, 150KW x 2P x 70.4BKW"

SPEED/CONSUMPTIONS "BALLAST: 13.5 KONT; FULL LOAD: 12.5 - 13.0 KONT

AT SEA IFO: 13.50 MT/DAY(M/E); MGO: 2.50 MT/DAY(G/E)

IN PORT IFO: 0.7 MT/DAY(BLR); MGO: 2.50 MT/DAY(G/E)"

FUEL TYPE

BUNKER CAPACITY (CBM) 827.17

TANKS CAPACITY (CBM) 101.61(FW); 37.22(WB/FPT)

NUMBER OF CARGO HOLDS 3

HATCH NUMBER 3

HATCH TYPE

HATCH SIZE (M)

HEIGHT OF HATCH COAMING (M)

COMPARTMENT(S)

DECK(S) 3

DECK HEIGHT (M)

CARGO CAPACITY (CBFT) 191422.70

CARGO CAPACITY (CBM) 5281.24

FLOOR SPACE CAPACITY (SQM)

GRATING/DECK STRENGTH

TEMPERATURE ZONE(S)

TEMPERATURE (°C) -30/+32(1&3 HOLD); -50/+32(2 HOLD)

TYPE OF VENT SYSTEM

VENT (TIMES/HOUR)

AIR CHANGE (TIMES/HOUR)

PALLET(S)

CONTAINER CAPACITY

REEFER PLUG(S)

SIDE DOOR(S)

FENDER(S)

ANCHOR CHAIN(S)

USDA CERTIFICATE

INSURANCE

CREW 25

ACCOMMODATION

INSPECTION ETA BUSAN 15-20TH MARCH

DELIVERY

PRICE BUYERS OFFER

REMARK(S) "FW GENERATOR: NAIDER MIURA CO., LTD. MODEL WM-5M, 5 MT/DAY

S.S.B.: JRC JSB-77, 1.6-14MHZ, 24 CHANNEL

RADAR: JRC NO.1 JMA 627-6, NO.2 JMA 527-6"

Yayınlandı: 10 yıl önce

