

175. Rescure / Supply vessel (unfinished)



Satıcı Firma Bilgisi

İsim: Alexey Zaytsev
İsim: Alexey Zaytsev
Web sitesi: <http://www.marinerus.ru>
Telefon: +79 (217) 5XX-XXX
Adres: Svobody str.48, Russia

İlan Detayları

Reference Number: RF120143
Hakkında: 175. Rescure / Supply vessel (unfinished)
Fiyat: 1.00
Condition:

Ek Bilgiler

İlan Detayları:

TBN:
493

<http://www.marinerus.ru/en/ships/175>

Status:
sale

`condition`:
in construction

Navigation
area: unlimited

Type:
Salvage / Rescue ships / Life boats

Subtype:
Diesel-electrical

Registration:
in construction

Construction
place: Russia

Symbol
of the Register Class: 1A1 DYNPOS

Length
over all: 55.0 m

Width:
12.7 m

Board
height: 6.25 m

Draught
max.: 5.0 m

Draught
min.: 4.1 m

Gross
tonnage: 1550.0 t

Deadweight:
960.0 t

Main
engines quantity: 6

Main
engines power: 3300.0 kW

Fuel
capacity: 330.0 t.

Speed: 13.0 kn

GMDSS: ??1+??2+??3

Crew:
22

Bow- /
Stern thrusters: DP-2

Location:
Russia

Two hulls available. The vessel is designed to be capable of performing Safety Stand-by support services, 24 hours/day continuous operation based on a minimum duration of 30 days per month, performing rescue operations within the Norwegian, Danish, UK and Netherlands Continental Shelf and operating as a command control center during such operations or in emergency situations. The vessel shall be outfitted with machinery and provided with equipment in accordance with the latest rules and regulations of Det Norske Veritas for worldwide service. In addition the vessel can operate as a field support vessel offering limited underdeck oil and potable water cargoes and deck cargo capability. The vessel shall be of the single deck type with five main transverse watertight bulkheads. Double bottom and double skin to be fitted in way of the machinery room and thruster spaces and elsewhere as far as practicable subject to the vessels tank arrangement. The vessel shall have a double tier forecastle superimposed by a two-tier superstructure comprising a single tier deckhouse and navigation bridge above. The vessel's main propulsion shall consist of two high performance azimuth propulsion units located in the after part of the vessel. Auxiliary thruster systems are to be fitted in the fore part of the vessel and comprise of one retractable azimuth thruster and one transverse tunnel thruster. All propulsion and auxiliary thruster units shall be arranged with independent manual control, selectable combined joystick control and a Kongsberg DP ATR (IMO-DP2).

You can subscribe to the newsletter information about the sale of the fleet by clicking on the link:

http://www.marinerus.ru/en/clients/sign_up

MARINERUS
– ship sale, purchase, marine projects

+7-921-758-77-77
– mob.

+372-59-47-47-68
– international

+7
(812) 607-70-38 – office

e-mail:
zaliy@bk.ru

website:
www.marinerus.ru

Skype:
Marinerus1

VK: <http://vk.com/marinerus>

Facebook:
<http://www.facebook.com/pages/Marinerus/210558642402537>

Twitter: <https://twitter.com/marinerus>

Yayınlandı: 9 yıl önce

