

REF762/2000/16720CBM/6.50MILLION



Satıcı Firma Bilgisi

İsim: IBRAHİM YİN
İsim: IBRAHİM
Web sitesi: <http://www.vanocean.com/cn/>
Telefon: +010 (516) XXX-XX
Adres: Room 2213 The Spaces International Center, No.8 Dong Da Qiao Road, Chaoyang District, Beijing, Chi

İlan Detayları

Hakkında: REF762/2000/16720CBM/6.50MILLION
Reference Number: RF940231
Fiyat: 6,500,000.00
Yıl: 2000
DWT: 12,913
Flag: MARSHALL ISLANDS
Model: REEFER
Condition:

Ek Bilgiler

İlan Detayları:

VESSEL NAME REF762

TYPE REEFER CARRIER

DEEP FREEZING OR NOT NO

FLAG MARSHALL ISLANDS

PORT OF REGISTRY MAJURO

BUILT built_in 2000

BUILT PLACE SHIPYARD "SPLIT"-CROATIA

CLASSIFICATION BV

CLASS NOTATION I, HULL,MACH,CONTAINER SHIP-REFRIGERATED CARGO SHIP, AUTUMS(SS),SYS-NEQ-1(SS),REF-CARGO(CS), UNRESTRICTED NAVIGATION

SS

DD

LOA (M) 155.27

LBP (M) 146.00
BEAM (M) 23.39
DEPTH (M) 13.20
SUMMER DRAFT (M) 9.51
WINTER DRAFT (M)
TROPICAL DRAFT (M)
GT (MT) 11443.00
PANAMA GT (MT)
SUEZ GT (MT) 12304.25
NT (MT) 6336.00
PANAMA NT (MT) 9880.00
SUEZ NT (MT) 9166.25
SUMMER DWT (MT) 12913.00
WINTER DWT (MT)
TROPICAL DWT (MT)
LDT (MT) 6920.00
DISPLACEMENT (MT) 19832.50
GEAR(S) "TWO KRUPP GH 23 GEMINI TWIN DECK CRANES,ELECTRO-HYDRAULIC TYPE
ONE LOCATED BTW HATCH 3 AND 4,OTHER BTW 1 AND 2.
SWL-TWIN MODE 40MT,SINGLE MODE 20.3MT. OUTREACH 3-23M.
CRANES ARE SUITABLE FOR HANDLING CONTAINERS WITH SPREADER"
M/E(S) 1 M A N-B&W 7L 60MC 2T, 7CYL, 123RPM
M/E POWER (KW) 13440.00
A/E(S) "FOUR SETS TYPE ""BRODOSPLIT-MAN B&W"" FOUR STROKE, WATER COOLED
DIESEL ENGINE TYPE 8L 23/30 HEIGHT CYLINDERS MCR 1280KW AT 900 RPM.
SPECIFICATION OF HFO380 CST AT 50 C-AS PER ISO STANDARD 8217:2010 OR ANY
SUBSEQUENT AMENDMENTS THEREOF."
GENERATOR(S) 4 DIESEL GENERATORS, 1500KVA(1200KW),440V,60HZ, 1 EMERGENCY
GENERATOR 135 KVA(108KW), 440 V, 60HZ
SHAFT GENERATOR(S)
PROPELLER(S) 1 SOLID SCREW PROPELLER LB10, 123RPM
COOLING SYSTEM (COMPRESSOR) THREE FACTORY ASSEMBLED BRINE CHILLER UNITS
TYPE SABROE VSB 81E USING R22(CONVERTIBLE TO HFC 407C/404A) AS PRIMARY AND
BRINE AS SECONDARY COOLING MEDIA. GUARANTEED COOLING DOWN PERIODS FOR
BANANAS MAX.26 HOURS, FRUIT MAX.52HOURS, FROZEN COMMODITIES MAX.72
HOURS.
SPEED/CONSUMPTIONS 20.0 KTS, HFO 52.5MT/DAY
FUEL TYPE HFO
BUNKER CAPACITY (CBM) 1957
TANKS CAPACITY (CBM) MDO:108,LO:132,FW:146, WATER BALLAST:2396
NUMBER OF CARGO HOLDS 4
HATCH NUMBER 4
HATCH TYPE WEATHER DECK-WATER&TIGHT, HYDRAULICALLY OPERATED FOLDING
TYPE
HATCH SIZE (M) 6.16 x 6.00, 12.82 x 8.00

HEIGHT OF HATCH COAMING (M)
COMPARTMENT(S) 16
DECK(S) 4
DECK HEIGHT (M)
CARGO CAPACITY (CBFT) 590227
CARGO CAPACITY (CBM) 16720
FLOOR SPACE CAPACITY (SQM) 6906.5
GRATING/DECK STRENGTH ALUMNIUM(HYDRO ALUMNIUM-NORMAY) GRATINGS
120MM HEIGHT DESIGNED FOR FORKLIFT (PNEUMATIC TYRES) LOAD OF 7000 KG PER
SHAFT
TEMPERATURE ZONE(S) 8
TEMPERATURE (°C) -25/-15
TYPE OF VENT SYSTEM DUCTLESS AIR CIRCULATION
VENT (TIMES/HOUR) 90
AIR CHANGE (TIMES/HOUR) 2
PALLET(S)
CONTAINER CAPACITY "ON DECK 120 FEU+20TEU OR 168 TEU+46FEU
IN HOLDS 36 FEU OR 72 TEU
TOTAL CONTAINER CAPACITY:156FEU+20TEU OR 240TEU+46FEU
PERMISSIBLE STACK WEIGHT IN HOLDS:120MT-FEU,96MT-TEU, ONDECK 90MT-FEU, 72MT
TEU"
REEFER PLUG(S) 120
SIDE DOOR(S)
FENDER(S)
ANCHOR CHAIN(S)
USDA CERTIFICATE YES
INSURANCE
CREW
ACCOMMODATION
INSPECTION
DELIVERY
PRICE USD 6.50 MILLION
REMARK(S)

Yayınlandı:

9 yıl önce

